



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
	BS1	0,74	1,02
	BS2	1,07	1,27
	BS3	1,42	1,52
2007	BS4	1,78	1,78
2010	BS5	2,57	1,78
2012	BS6	2,9	1,78
	BS801	3,17	1,78
2015	BS7	3,68	1,78
2018	BS8	4,48	1,78
2019	BS802	4,76	1,78
2021	BS9	5,28	1,78
2025	BS10	6,07	1,78
	BS803	6,35	1,78
106	BS610	6,75	1,78
2031	BS11	7,66	1,78
	BS804	7,94	1,78
108	BS611	8,73	1,78
2037	BS12	9,25	1,78
		9,52	1,78
2043	BS13	10,82	1,78
114	BS806	11,11	1,78
2050	BS14	12,42	1,78
2056	BS15	14	1,78
2062	BS16	15,6	1,78
2068	BS17	17,17	1,78
2075	BS18	18,77	1,78
2081	BS19	20,35	1,78
2087	BS20	21,95	1,78
2093	BS21	23,52	1,78
2100	BS22	25,12	1,78
2106	BS23	26,7	1,78
2112	BS24	28,3	1,78
2118	BS25	29,87	1,78



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
2125	BS26	31,47	1,78
2131	BS27	33,05	1,78
2137	BS28	34,65	1,78
	BS517	36,27	1,78
2150	BS29	37,82	1,78
	BS519	39,45	1,78
2162	BS30	41	1,78
2175	BS31	44,17	1,78
2187	BS32	47,37	1,78
2200	BS33	50,52	1,78
2212	BS34	53,67	1,78
2225	BS35	56,87	1,78
2237	BS36	60,04	1,78
2250	BS37	63,22	1,78
2262	BS38	66,4	1,78
2275	BS39	69,57	1,78
2287	BS40	72,76	1,78
2300	BS41	75,92	1,78
2312	BS532	79	1,78
2325	BS42	82,28	1,78
	BS534	85,34	1,78
2350	BS43	88,62	1,78
	BS536	91,7	1,78
2375	BS44	94,97	1,78
	BS538	98,05	1,78
2400	BS45	101,34	1,78
	BS540	104,4	1,78
2425	BS46	107,67	1,78
	BS542	110,74	1,78
2450	BS47	114,02	1,78
	BS544	117,1	1,78
2475	BS48	120,4	1,78
	BS546	123,44	1,78



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
2500	BS49	126,72	1,78
	BS548	129,4	1,78
2525	BS50	133,07	1,78
	BS550	135,76	1,78
	BS551	138,94	1,78
	BS552	142,11	1,78
	BS553	145,29	1,78
	BS554	148,46	1,78
	BS555	151,64	1,78
	BS556	154,81	1,78
	BS557	158	1,78
	BS558	161,16	1,78
	BS559	164,34	1,78
	BS560	167,51	1,78
	BS561	170,69	1,78
	BS562	173,87	1,78
	BS102	1,24	2,62
3010	BS103	2,06	2,62
3012	BS104	2,84	2,62
3015	BS105	3,63	2,62
3018	BS106	4,42	2,62
3021	BS107	5,23	2,62
3024	BS108	6,02	2,62
3030	BS109	7,59	2,62
3037	BS110	9,19	2,62
112	BS613	9,92	2,62
3043	BS111	10,78	2,62
115	BS614	11,91	2,62
3050	BS112	12,37	2,62
	BS807	12,7	2,62
117	BS615	13,1	2,62
3056	BS113	13,94	2,62
109	BS9	14,37	2,62



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
119	BS616	15,08	2,62
3062	BS114	15,54	2,62
121	BS809	15,88	2,62
3068	BS115	17,12	2,62
	BS810	17,46	2,62
123	BS617	17,86	2,62
3075	BS116	18,72	2,62
3081	BS117	20,29	2,62
128	BS812	20,64	2,62
3087	BS118	21,89	2,62
130	BS813	22,23	2,62
3093	BS119	23,47	2,62
132	BS814	23,81	2,62
3100	BS120	25,07	2,62
3106	BS121	26,64	2,62
3112	BS122	28,24	2,62
3118	BS123	29,82	2,62
3125	BS124	31,42	2,62
3131	BS125	32,99	2,62
3137	BS126	34,59	2,62
3143	BS127	36,17	2,62
3150	BS128	37,77	2,62
3156	BS129	39,34	2,62
3162	BS130	40,94	2,62
3168	BS131	42,52	2,62
3175	BS132	44,12	2,62
3181	BS133	45,69	2,62
3187	BS134	47,29	2,62
3193	BS135	48,9	2,62
3200	BS136	50,47	2,62
3206	BS137	52,07	2,62
3212	BS138	53,64	2,62
3218	BS139	55,25	2,62



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
3225	BS140	56,82	2,62
3231	BS141	58,42	2,62
3237	BS142	60	2,62
3243	BS143	61,6	2,62
3250	BS144	63,17	2,62
3256	BS145	64,77	2,62
3262	BS146	66,34	2,62
3268	BS147	67,95	2,62
3275	BS148	69,52	2,62
3281	BS149	71,12	2,62
3287	BS150	72,69	2,62
	BS640	74,3	2,62
3300	BS151	75,87	2,62
	BS641	77,5	2,62
	BS642	80,6	2,62
3325	BS152	82,22	2,62
	BS643	83,8	2,62
3350	BS153	88,57	2,62
3375	BS154	94,92	2,62
3400	BS155	101,27	2,62
3425	BS156	107,63	2,62
3450	BS157	113,97	2,62
3475	BS158	120,33	2,62
3500	BS159	126,67	2,62
3525	BS160	133,02	2,62
3550	BS161	139,37	2,62
3575	BS162	145,72	2,62
3600	BS163	152,07	2,62
3625	BS164	158,42	2,62
3650	BS165	164,77	2,62
3675	BS166	171,13	2,62
3700	BS167	177,47	2,62
3725	BS168	183,82	2,62



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
3750	BS169	190,17	2,62
3775	BS170	196,53	2,62
3800	BS171	202,87	2,62
3825	BS172	209,22	2,62
3850	BS173	215,57	2,62
3875	BS174	221,92	2,62
3900	BS175	228,27	2,62
3925	BS176	234,62	2,62
3950	BS177	240,97	2,62
3975	BS178	247,32	2,62
4021	BS201	4,34	3,53
4024	BS202	5,94	3,53
4028	BS203	7,52	3,53
4036	BS204	9,12	3,53
4043	BS205	10,69	3,53
4050	BS206	12,29	3,53
4055	BS207	13,87	3,53
4061	BS208	15,47	3,53
4067	BS209	17,04	3,53
4075	BS210	18,64	3,53
4081	BS211	20,22	3,53
4087	BS212	21,82	3,53
4093	BS213	23,4	3,53
4100	BS214	24,99	3,53
134	BS618	25,8	3,53
4106	BS215	26,57	3,53
4112	BS216	28,17	3,53
4118	BS217	29,75	3,53
4125	BS218	31,34	3,53
4131	BS219	32,92	3,53
4137	BS220	34,52	3,53
4143	BS221	36,1	3,53
4150	BS222	37,69	3,53



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
144	BS824	39,7	3,53
4162	BS223	40,87	3,53
146	BS825	41,28	3,53
147	BS826	42,86	3,53
4175	BS224	44,04	3,53
149	BS827	44,45	3,53
150	BS828	46,04	3,53
4187	BS225	47,22	3,53
152	BS829	47,63	3,53
153	BS830	49,21	3,53
4200	BS226	50,39	3,53
155	BS831	50,8	3,53
156	BS832	52,4	3,53
4212	BS227	53,57	3,53
158	BS833	53,97	3,53
159	BS834	55,56	3,53
4225	BS228	56,74	3,53
161	BS835	57,15	3,53
162	BS836	58,74	3,53
4237	BS229	59,92	3,53
164	BS837	60,32	3,53
165	BS838	61,9	3,53
4250	BS230	63,09	3,53
167	BS839	63,5	3,53
168	BS840	65,1	3,53
4262	BS231	66,27	3,53
170	BS841	66,67	3,53
171	BS842	68,28	3,53
4275	BS232	69,44	3,53
173	BS843	69,85	3,53
174	BS844	71,44	3,53
4287	BS233	72,62	3,53
176	BS845	73,02	3,53



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
177	BS846	74,61	3,53
4300	BS234	75,8	3,53
4312	BS235	78,97	3,53
4325	BS236	82,14	3,53
4337	BS237	85,32	3,53
4350	BS238	88,5	3,53
4362	BS239	91,67	3,53
4375	BS240	94,84	3,53
4387	BS241	98,02	3,53
4400	BS242	101,2	3,53
4412	BS243	104,37	3,53
4425	BS244	107,54	3,53
4437	BS245	110,72	3,53
4450	BS246	113,89	3,53
4462	BS247	117,07	3,53
4475	BS248	120,24	3,53
4487	BS249	123,42	3,53
4500	BS250	126,59	3,53
4512	BS251	129,77	3,53
4525	BS252	132,94	3,53
4537	BS253	136,12	3,53
4550	BS254	139,29	3,53
4562	BS255	142,47	3,53
4575	BS256	145,64	3,53
4587	BS257	148,82	3,53
4600	BS258	151,99	3,53
4625	BS259	158,34	3,53
4650	BS260	164,69	3,53
4675	BS261	171,04	3,53
4700	BS262	177,39	3,53
4725	BS263	183,74	3,53
4750	BS264	190,09	3,53
4775	BS265	196,44	3,53



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
4800	BS266	202,79	3,53
4825	BS267	209,14	3,53
4850	BS268	215,49	3,53
4875	BS269	221,84	3,53
4900	BS270	228,19	3,53
4925	BS271	234,54	3,53
4950	BS272	240,89	3,53
4975	BS273	247,24	3,53
41000	BS274	253,59	3,53
41050	BS275	266,29	3,53
41100	BS276	278,99	3,53
41150	BS277	291,69	3,53
41200	BS278	304,39	3,53
		310	3,53
		320,27	3,53
41300	BS279	329,79	3,53
41400	BS280	355,19	3,53
41500	BS281	380,59	3,53
41600	BS282	405,26	3,53
41700	BS283	430,66	3,53
41800	BS284	456,06	3,53
	BS309	10,47	5,33
	BS310	12,07	5,33
	BS311	13,64	5,33
	BS312	15,24	5,33
	BS313	16,81	5,33
	BS314	18,42	5,33
6037	BS315	19,99	5,33
6085	BS316	21,59	5,33
6050	BS317	23,17	5,33
6062	BS318	24,77	5,33
6075	BS319	26,34	5,33
6081	BS320	27,94	5,33



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
6087	BS321	29,51	5,33
6093	BS322	31,12	5,33
6100	BS323	32,69	5,33
6125	BS324	34,29	5,33
6150	BS325	37,47	5,33
6162	BS326	40,64	5,33
6175	BS327	43,82	5,33
6187	BS328	46,99	5,33
6200	BS329	50,16	5,33
6212	BS330	53,34	5,33
6225	BS331	56,52	5,33
6237	BS332	59,7	5,33
6250	BS333	62,87	5,33
6262	BS334	66,04	5,33
6275	BS335	69,22	5,33
6287	BS336	72,4	5,33
178	BS619	74,63	5,33
6300	BS337	75,57	5,33
6312	BS338	78,74	5,33
181	BS620	79,77	5,33
6325	BS339	81,92	5,33
6337	BS340	85,09	5,33
6350	BS341	88,27	5,33
185	BS621	89,69	5,33
6362	BS342	91,44	5,33
6375	BS343	94,62	5,33
6387	BS344	97,79	5,33
189	BS622	100	5,33
6400	BS345	100,97	5,33
6412	BS346	104,14	5,33
6425	BS347	107,32	5,33
193	BS623	109,54	5,33
6437	BS348	110,49	5,33



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
6450	BS349	113,67	5,33
	BS350	116,84	5,33
199	BS860	117,48	5,33
	BS351	120,02	5,33
201	BS861	120,65	5,33
	BS352	123,19	5,33
203	BS862	123,83	5,33
	BS353	126,37	5,33
206	BS863	127	5,33
	BS354	129,54	5,33
208	BS864	130,18	5,33
	BS355	132,72	5,33
210	BS865	133,35	5,33
	BS356	135,89	5,33
213	BS866	136,53	5,33
	BS357	139,07	5,33
215	BS867	139,7	5,33
	BS358	142,24	5,33
217	BS868	142,88	5,33
	BS359	145,42	5,33
219	BS869	146,05	5,33
	BS360	148,49	5,33
221	BS870	149,23	5,33
6600	BS361	151,77	5,33
		155	5,33
6625	BS362	158,12	5,33
	BS645	161,3	5,33
6645	BS363	164,47	5,33
		167,7	5,33
6670	BS364	170,82	5,33
		174	5,33
6700	BS365	177,17	5,33
6720	BS366	183,52	5,33



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
6745	BS367	189,87	5,33
6775	BS368	196,22	5,33
6795	BS369	202,57	5,33
6820	BS370	208,92	5,33
6850	BS371	215,27	5,33
6870	BS372	221,62	5,33
6895	BS373	227,97	5,33
6920	BS374	234,32	5,33
6945	BS375	240,67	5,33
		241,3	5,33
6975	BS376	247,02	5,33
6995	BS377	253,57	5,33
61050	BS378	266,07	5,33
61100	BS379	278,77	5,33
61150	BS380	291,47	5,33
61200	BS381	304,17	5,33
61300	BS382	329,57	5,33
61400	BS383	354,97	5,33
61500	BS384	380,37	5,33
		386,72	5,33
		392,56	5,33
61600	BS385	405,26	5,33
61700	BS386	430,66	5,33
61800	BS387	456,06	5,33
61900	BS388	481,38	5,33
62000	BS389	506,78	5,33
		508	5,33
62100	BS390	532,18	5,33
62200	BS391	557,58	5,33
62300	BS392	582,68	5,33
		584,2	5,33
62400	BS393	608,08	5,33
62500	BS394	633,48	5,33



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
		654,05	5,33
62600	BS395	658,88	5,33
		736,6	5,33
		110	6,99
8450	BS425	113,67	6,99
197	BS624	114,7	6,99
8462	BS426	116,84	6,99
8475	BS427	120,02	6,99
8487	BS428	123,19	6,99
204	BS625	124,6	6,99
8500	BS429	126,37	6,99
8512	BS430	129,54	6,99
8525	BS431	132,72	6,99
211	BS626	134,6	6,99
8537	BS432	135,89	6,99
8550	BS433	139,07	6,99
8562	BS434	142,24	6,99
8575	BS435	145,42	6,99
8587	BS436	148,59	6,99
8600	BS437	151,77	6,99
223	BS872	155,6	6,99
8625	BS438	158,12	6,99
225	BS627	159,5	6,99
226	BS874	161,9	6,99
8650	BS439	164,47	6,99
228	BS628	166,7	6,99
229	BS876	168,3	6,99
8675	BS440	170,82	6,99
231	BS878	174	6,99
		174,6	6,99
8700	BS441	177,17	6,99
233	BS880	181	6,99



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
8725	BS442	183,52	6,99
235	BS882	187,3	6,99
8750	BS443	189,87	6,99
237	BS884	193,7	6,99
8775	BS444	196,22	6,99
239	BS886	200	6,99
8800	BS445	202,57	6,99
8825	BS674	208,92	6,99
8850	BS446	215,27	6,99
8875	BS676	221,62	6,99
8900	BS447	227,97	6,99
8925	BS678	234,32	6,99
8950	BS448	240,67	6,99
8975	BS680	247	6,99
		249	6,99
81000	BS449	253,37	6,99
		253,57	6,99
81025	BS682	259,7	6,99
81050	BS450	266,07	6,99
81075	BS684	272,4	6,99
81100	BS451	278,77	6,99
81125	BS686	285,1	6,99
81150	BS452	291,47	6,99
81175	BS688	297,8	6,99
81200	BS453	304,17	6,99
81250	BS454	316,87	6,99
		323,2	6,99
81300	BS455	329,57	6,99
		335,9	6,99
81350	BS456	342,27	6,99
81400	BS457	354,97	6,99
81450	BS458	367,67	6,99
81500	BS459	380,37	6,99



DIMENSIONI O-RING STANDARD

O-Ring Size Chart (GB standard / BS standard)

Standard Code GB	Standard Code AS/BS	ID mm.	CS mm.
81550	BS460	393,07	6,99
81600	BS461	405,26	6,99
81650	BS462	417,96	6,99
81700	BS463	430,66	6,99
81750	BS464	443,36	6,99
81800	BS465	456,06	6,99
		463,5	6,99
81850	BS466	468,76	6,99
81900	BS467	481,46	6,99
81950	BS468	494,16	6,99
82000	BS469	506,86	6,99
		517,5	6,99
82100	BS470	532,26	6,99
82200	BS471	557,66	6,99
82300	BS472	582,68	6,99
82400	BS473	608,08	6,99
		625	6,99
82500	BS474	633,48	6,99
82600	BS475	658,88	6,99
		877,1	6,99
		921	6,99